



CLASSIC C-2

Electric adjustable Sit & Stand frame for an ergonomic and flexible work environment around the meeting table.

- Many different size options
- Ergonomic
- Design it yourself

CLASSIC frame for meeting tables in a robust design, with electric height-adjustment, allows the creation of an ergonomic and flexible work environment at tables where many people meet. Because CLASSIC can be assembled together with any table top and is available in a range of sizes, creating a table to suit the needs of the business or activity is easy. Rectangular legs in an elegant design.

Art. no	Feet	ColourFrame width
CL2FROxxxx08x _rel_2588Silver		2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx08x _rel_2596Silver		2100 - 2600 mm fixed lenght. Order in even decimals
CL2FROxxxx40x _rel_2588Black		2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx40x _rel_2596Black		2100 - 2600 mm fixed lenght. Order in even decimals
CL2FROxxxx25x _rel_2588White		2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx25x _rel_2596White		2100 - 2600 mm fixed lenght. Order in even decimals
CL23R001BA08x _rel_2588Silver		
CL23Y001BA08x _rel_2596Silver		
CL23R001BA40x _rel_2588Black		
CL23Y001BA40x _rel_2596Black		
CL23R001BA25x _rel_2588White		
CL23Y001BA25x _rel_2596White		
CL23RK01BA08x _rel_2588Silver		
CL23YK01BA08x _rel_2596Silver		
CL23RK01BA40x _rel_2588Black		
CL23YK01BA40x _rel_2596Black		
CL23RK01BA25x _rel_2588White		
CL23YK01BA25x _rel_2596White		



Technical specifications

CLASSIC C-2



Specification	Value
Adjustable height	Yes
Powered by	Electricity
Frame width	1150 - 1750 mm
Stroke	500 mm (615 - 1115 mm \pm 5 mm)
Lift capacity	Max 100 kg
Standby power	0,3 W
Noise level	< 42 dBa
Dimensions tabletops	1160 - 2250 mm x 800 - 1200 mm