

CLASSIC C-2+ Improved

Electric adjustable Sit & Stand frame for an ergonomic and flexible work environment around the meeting table.

- Many different size options
- Ergonomic
- Design it yourself

CLASSIC frame for meeting tables in a robust design, with electric height-adjustment, allows the creation of an ergonomic and flexible work environment at tables where many people meet. Because CLASSIC can be assembled together with any table top and is available in a range of sizes, creating a table to suit the needs of the business or activity is easy. Rectangular legs in an elegant design.

Art. no	Feet C	olou	rFrame width
CL2FROxxxx08x	_rel_2588S	ilver	2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx08x	_rel_2596S	ilver	2100 - 2600 mm fixed lenght. Order in even decimals
CL2FROxxxx40x	_rel_2588B	lack	2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx40x	_rel_2596B	lack	2100 - 2600 mm fixed lenght. Order in even decimals
CL2FROxxxx25x	_rel_2588V	Vhite	2100 - 2600 mm fixed lenght. Order in even decimals
CL2FYOxxxx25x	_rel_2596V	Vhite	2100 - 2600 mm fixed lenght. Order in even decimals
CL23R001BA08	x_rel_2588S	ilver	
CL23Y001BA08	x_rel_2596S	ilver	-
CL23R001BA40	x_rel_2588B	lack	-
CL23Y001BA40	x_rel_2596B	lack	-
CL23R001BA25	x_rel_2588V	Vhite	-
CL23Y001BA25	x_rel_2596V	Vhite	-
			-



Technical specificationsCLASSIC C-2+ Improved



Specification	Value	
Adjustable height	Yes	
Powered by	Electricity	
Frame width	2100 - 2600 mm (Fixed lenght. Ordered with even decimals)	
Stroke	500 mm (615 - 1115 mm ± 5 mm)	
Lift capacity	Max 100 kg	
Standby power	0,3 W	
Noise level	< 42 dBa	
Dimensions tabletops	2110 - 3100 mm x 800 - 1200 mm	

