

AERO 2.0 Hi Power 2-column

New generation AERO desk frame. Robust, flexible model of electric desk frame, for a straight desktop, with height-adjustable function, allowing each user to create their optimum work environment.

- Height-adjustable
- Ergonomic
- Elegant legs of rectangular design

AERO electric Sit & Stand frame for straight desktops, with continuous height adjustment control, makes it easy for the user to create an ergonomic work environment. Robust and flexible design that can be adjusted lengthways ensures a reliable desk that is easily adapted to the desktop of your choice. Free-standing legs allow optimum freedom of movement thanks to unrestricted leg room. Elegant legs of rectangular design with the big leg at the top. Based on the latest technology in height adjustment control to ensure reliable and comfortable operation.

| Art. no | Colour |
|---------------|--------|
| A2AA33121A14X | Silver |
| A2AA33121A40X | Black |
| A2AA33121A25X | White |



Technical specificationsAERO 2.0 Hi Power 2column



| Specification | Value |
|-----------------------------------|--|
| Adjustable height | Yes |
| Powered by | Electricity |
| Frame width | 1150 - 1740 mm |
| Stroke | 660 mm (605 -1265 mm ± 5 mm) |
| Lift capacity | Max 160 kg |
| Speed | 40 mm/sec |
| Standby power | 0,1 W |
| Noise level | < 42 dBa |
| Dimensions tabletops | 1160 - 2200 mm x 550 - 1100 mm |
| Certifications | Fulfill Machine directive 2006/42/EC EMC directive 2014/30/EU Low voltage directive 2014/35/EC REACH, WEEE and RoHS 3 2015/863 EN 527-1:2011 Type A, EN 527-2:2016 ISO 21016 UL 962 ETL listed |
| Duty cycle | 10%, 1 min/9 min pause |
| Installation height down position | 605 mm |
| Max bending torque column | Max 200 Nm |
| Paintwork | Powder coating |
| Area of use | Indoor environment |
| Control unit performance | Low inbuilt height dimensions Switching technology without any magnetic fields Low standby <0,3 W Inbuilt overload protection Inbuilt temperature protection |
| Lifetime | Min 10 000 cycles |
| Weight | 25 kg |
| Ambient temperature | +5° to +30° C |
| Humidity non condensed | 5 - 85% non condensed |

